8700191

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

King Grain Inc.

TCH hereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT FARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT TAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'NattoKing K86'

In Testimony Waterest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of June in the year of our Lord one thousand nine hundred and eighty-eight.

Rila d E. Lyng Secretary of Agriculture

du

Lewith I, leans Commissioner

Plant Variety Protection Office Agricultural Marketina Servica

केर प्रकेश के लिए हुई है के कर सुरक्षक ।

U.S. DEPARTMENT OF AGRICULT		PORM APPROVED: OMB NO. 0001-0000
AGRICULTURAL MARKETING SER	VICE	Application is required in order to determine
		If a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is
APPLICATION FOR PLANT VARIETY PROTE	CTION CERTIFICATE	held confidential until certificate is issued
(Instructions on reverse)		(7 U.S.C. 2426).
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME D
WING COATM INC		NATTOKING
KING GRAIN INC.	KS872-4	- K8.6 16/27/87
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code)	5 PHONE (Include area code)	FOR OFFICIAL USE ONLY
P.O. Box 69,		PVPO NUMBER
Blissfield, Michigan, U.S.A.	(517) 496 4204	0700101
	(317)400-4304×××	8700191
49228 6. GENUS AND SPECIES NAME 7. FAMILY NA		DATE
6. GENUS AND SPECIES NAME 7. FAMILY NA	ME (Botanical)	II v
Glycine max Legumin		· · · · · · · · · · · · · · · · · · ·
drycrite max negumin	iiosae	E TIME 4
8. KIND NAME	DATE OF DETERMINATION : 1917	AMOUNT FOR FILING
The second of th	the first of the state of the second	a s /800
Soybeans	1984	≥ DATE
		1 8 (Quant 12.1987
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM	OF ORGANIZATION (Corneration	DATE Ougust 12,1987 AMOUNT FOR CERTIFICATE
partnership, association, etc.)		
		S S S S S S S S S S S S S S S S S S S
Corporation	the control of the second of t	May 10, 1988
At It Woodback and a second and		12. DATE OF INCORPORATION
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		1 0
New York		December 10, 1982
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S),	IF ANY, TO SERVE IN THIS APPLIC	CATION AND RECEIVE ALL PAPERS
Dr. Bernard M. Leese, Jr.,		
Underwood Agribusiness Associate	s. Tele	phone No. (301)622-375
210 Kimblewick Dr.,		x No. 296415
	PHONE (Include are	X NO. 290413
Silver Spring, MD, U.S.A. 20904		
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMI		A CANADA AND AND AND AND
a. Exhibit A, Origin and Breeding History of the Variety (See	e Section 32 of the Plant Variety 170	nection Act. j
b. 🛭 Exhibit B, Novelty Statement.		The state of the s
c. 🖾 Exhibit C, Objective Description of Variety (Request form	n from Plant Variety Protection Offi	ce.)
d. D Exhibit D, Additional Description of Variety.	April 1990	
e. 🛛 Exhibit E, Statement of the Basis of Applicant's Ownershi	ip.	•
15, DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VAR		ONLY AS A CLASS OF CERTIFIED
SEED? (See Section 83(a) of the Plant Variety Protection Act.)		items 16 and 17 below) X No
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE	. —	WHICH CLASSES OF PRODUCTION
LIMITED AS TO NUMBER OF GENERATIONS?	BEYOND BREEDER SEE	ED?
门 v [對 u		Registered Certified
Yes X No	Foundation	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECT	ION OF THE VARIETY IN THE U	.S.7 Yes (If "Yes," give date)
	•	
		X No
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE	, OR MARKETED IN THE U.S. OR	OTHER COUNTRIES ?
		Yes (If "Yes," give names
	• •	of countries and dates)
•		₩ No
20. The applicant(s) declare(s) that a viable sample of basic seed		i with the application and will be re-
plenished upon request in accordance with such regulations		
The undersigned applicant(s) is (are) the owner(s) of this se	xually reproduced novel plant va-	riety, and believe(s) that the variety is
distinct, uniform, and stable as required in Section 41, and	is entitled to protection under th	e provisions of Section 42 of the Plant
Variety Protection Act.		
variety protection/ret.	•	
· / / /		result in penalties.
Applicant(s) is (are informed that false representation here		
Applicant(s) is (are informed that false representation here	in can jeopardize protection and	result in penalties.
Applicant(s) is (are) informed that false representation here SIGNATUFE OF APPLICANT F.	in can jeopardize protection and	DATE
Applicant (s) is (are) informed that false representation here signature of applicant F.	in can jeopardize protection and	June 3, 1987
Applicant(s) is (are) informed that false representation here SIGNATURE OF APPLICANT F.	in can jeopardize protection and	DATE

EXHIBIT 'A'

Origin and Breeding History of the Variety

RJS 10/27/87 5/3/88

- 1. MATICKNE

 1. MA
- 2. In 1982, single plants of the variety were reselected and grown in a winter nursery in Chile (1982-1983). Rows conforming to a standard were harvested and bulked to establish breeder seed. The genetic make-up of the variety was uniform and stable in subsequent generations.
- 3. K86 was placed in yield trials in 1986. Data is attached.

EXHIBIT 'B'

Novelty Statement

Novelty is based on the unique combination of the following characters:

K86 is a small-seeded cultivar most similar to Canatto, except NattoKing K86 is 14 days later, 9 cm shorter, 1.4 gms per 100 seeds lighter and 167 kg/ha higher yielding than Canatto. Its small seed size makes it suitable for the Natto food market in Japan.

King Agro Performance Data - 1986

Entry	Maturity (days)	Plant Height (cm)	100 seed Weight (gm)	Yield (kg/ha)
ANTIOLINE K86	116	65	9.2	2364
Canatto	102	74	10.6	2197

King Agro Performance Data

1986 - Centralia, ON

Variety	Plant Height (cm)	Lodging (1-5)	Maturity (days)	Yield (kg/ha)	100 Seed Weight (gm)	Seed Quality (1-5)
Canatto	74	1.7	102	2197	10.6	1.5
NATTOKING- METERS K86	65	1.5	116	2364	9.2	1.2
Maple Arrow	81	1.1	114	2932	16.4	1.2
p/s 10/27/87 5-13/88	r					

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOYB	EAN (Glycine max L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	Rfs 10/27/87
KING GRAIN INC.	KS872-4	NATIOKING	K86 5/3/88
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip C P.O. Box 69, Blissfield, Michigan, U.S.A. 49228	17) 486-4304	FOR OFFI PVPO NUMBER 8700	CIAL USE ONLY
Choose the appropriate response which characterizes the vin your answer is fewer than the number of boxes provide Starred characters ** are considered fundamental to an ade when information is available.	variety in the features described d, place a zero in the first box w	hen number is 9 or l	ess (e.g., 0 9).
1. SEED SHAPE: L L L L L	T 2 = Spherical Flattened (4 = Elongate Flattened (
7 2. SEED COAT COLOR: (Mature Seed)			
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)	,
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Neb	soy'; 'Gasoy 17')		en e
4. SEED SIZE: (Mature Seed)			
9 Grams per 100 seeds	en de la companya de La companya de la co	and American Services	a a a a a a a a a a a a a a a a a a a
5. HILUM COLOR: (Mature Seed)	The state of the s		
2 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Blac	k 6 = Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green	ti na titus ti tanan na aykadamaki ti dalama bi w	and the second second second	e i e e e e e e e e e e e e e e e e e e
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High	a sa	aggMMg	
8. SEED PROTEIN ELECTROPHORETIC BAND:		· · · · · · · · · · · · · · · · · · ·	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)			
9. HYPOCOTYL COLOR:		<u> </u>	
		loodworth'; 'Tracy')	
0. LEAFLET SHAPE:	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
3 1 = Lanceolate 2 = Ovat 3 = Ovate	4 = Other (Specify)		

			<u> </u>	
11.	LEAF	LET SIZE:	· The Control of the Control of th	The second secon
	2	1 = Small ('Amsoy 71'; 'A5312')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	
	ب	3 = Large ('Crawford'; 'Tracy')	and the second	And the second s
12	IEAE	COLOR:		
12,	LEAF			
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
			and the second of the second o	and the second s
13.	FLOW	ER COLOR:		
	$\lceil 1 \rceil$	1 = White 2 = Purple	3 = White with purple throat	
	لثا		and the state of the	ente de la graphemente de la Sala de La Granda de la Carla de l La carla de la
14.	POD C	OLOR:		
	2	1 = Tan 2 = Brown	3 ≃ Black	
	المتنا		a source of the	Automotive to the second of th
15.	PLANT	PUBESCENCE COLOR:		
	$\lceil 1 \rceil$	1 = Gray 2 = Brown (Tawny)		
	البنيا		Application of the second seco	
16.	PLANT	TYPES:		· 数十四年 到 · · · · · · · · · · · · · · · · · ·
æ	2	1 = Slender ('Essex'; 'Amsoy 71')	2 = Intermediate ('Amcor'; 'Braxton')	
	[4]	3 = Bushy ('Gnome'; 'Govan')	and the second	
		HABIT:		
17.	·	All the second of the second of the second		
	[3]	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved F		
		3 - Indeterminate (Nebsoy , Improved)		
18.	MATU	RITY GROUP:		
		1 = 000 2 = 00 3 = 0	4 = I 5 = II 6 = III 7	= IV 8 = V
0	3	9 = VI 10 = VII 11 = VI		- 10
3 1		the company of the company	<u> </u>	
19.	DISEA	SE REACTION: (Enter 0 = Not Tested; 1 =	= Susceptible; 2 = Resistant)	
	BACT	ERIAL DISEASES:		
*	0	Bacterial Pustule (Xanthomonas phaseoli	vor colonial	
		•	vai. SUJEINIS	
*		Bacterial Blight (Pseudomonas glycinea)	and the second s	and the second of the second o
k:	0	Wildfire (Pseudomonas tabaci)	 A regular conjugate constraints of the conjugate 	than the same of t
· ;	FUNGA	L DISEASES:		
k .		Brown Spot (Septoria glycines)		
•	لتا			
		Frogeye Leaf Spot (Cercospora sojina)		
k	0	Race 1 Race 2	Race 3 Race 4 Race 5	Other (Specify)
٠	0	Target Spot (Corynespora cassiicola)	in the state of t	
		Downy Mildew (Peronospora trifoliorum v	var manshurinal	
		•	ras, mananuricai	
		Powdery Mildew (Microsphaera diffusa)	in kon saasa sa bara bara bara bara bara bara	
k	0	Brown Stem Rot (Cephalosporium gregatu	im) _{in the feet of the control of}	
	O	Stem Canker (Diaporthe phaseolorum var.	caulivora)	
			Control of the Contro	<i>I</i> ~

19. DISEA	SE REACTI	ON: (Enter 0 = Not	Tested; 1 = Suscept	ible: 2 =	Resistant)	(Continued	d)	4	ču		3.1	property of
FUN	GAL DISEA	SES: (Continued)										
* 0	Pod and St	tem Blight <i>(Diaporthe</i>	phaseolorum var;	sojae)								
0	Purple See	d Stain <i>(Cercospora k</i>	ikuchii)									
0	Rhizocton	ia Root Rot <i>(Rhizoct</i>	onia solani)									
· <u></u>	Phytophth	ora Rot (Phytophtho	ra megasperma var.	sojae)								
★ 1	Race 1	1 Race 2	1 Race 3	1	Race 4	1	Race 5	1	Race 6	1	Race 7	
1	Race 8	1 Race 9	1 Other (Spe	ecify)								
VIRA	L DISEASE	S:	<u></u>									
0	Bud Blight	(Tobacco Ringspot V	'irus)									
O Bud Blight (Tobacco Ringspot Virus) ✓ Yellow Mosaic (Bean Yellow Mosaic Virus) ✓ O Cowpea Mosaic (Cowpea Chlorotic Virus) O Pod Mottle (Bean Pod Mottle Virus) ✓ O Seed Mottle (Soybean Mosaic Virus) NEMATODE DISEASES: Soybean Cyst Nematode (Heterodera glycines)												
* 0	•		•									
, =			-			•						
			us,	•								
				•	to .							
4 [7]	*											
	Race 1	Race 2	Race 3	1	Race 4		Other <i>(Spe</i>	cify)	· · · · · · · · · · · · · · · · · · ·			
		tode (Hoplolaimus Co						-			-	
<u> </u>		ot Knot Nematode (/	_									•
* [0] 1	Northern Ro	ot Knot Nematode (//	Meloidogyne Hapla,)		•			'			
[O] F	Peanut Root	Knot Nematode (Me	loidogyne arenaria)	ı								
0 F	Reniform Ne	matode <i>(Rotylenchul</i>	lus reniformis)		•			-				
0 0	THER DIS	EASE NOT ON FOR	M (Specify):		· · · · · · · · · · · · · · · · · · ·		···			***************************************		
20 DUVELO	201041 85						-		<u></u>	 		
—		SPONSES: (Enter 0	= Not Tested; 1 = :	Susceptib	oie; 2 = Res	istant)	*					
"		s on Calcareous Soil										
0	ther <i>(Specif</i>	y)										
21. INSECT R	EACTION:	(Enter 0 = Not Teste	d; 1 = Susceptible;	2 = Resi	stant)		· · · · · · · · · · · · · · · · · · ·	······································				-
0 M	exican Bean	Beetle (Epilachna va	rivestis)					1 1	and the second s			
0 Pc	otato Leaf H	opper <i>(Empoasca fab</i>	nae)			e a North Control	•	4				
01	ther <i>(Specif</i> y	/					1	1000				
		RIETY MOST CLOS	SIV DECEMBLE									
CHARAC		I	OF VARIETY	IMAL						<u> </u>		<u></u>
Plant Shape		Canatto	· · · · · · · · · · · · · · · · · · ·			RACTER at Luster		Manla	NAME OF		Υ	
Leaf Shape		Canatto			Seed Siz			mapre Canat	Arrot	<u>v</u>		<u> </u>
Leaf Color		Canatto		[-	4	ape			Arrov			
Leaf Size	1.7	Canatto	 			Pigmentat						·
					<u> </u>							11

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CON	TENT	SEED SIZE G/100	NO. SEEDS/
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	116	3	116	6.9	10.8		_	9.2	2.8
Name of Similar Variety	102	4	102	6.5	10.6		-	10.1	2.2

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



EXHIBIT 'E'

Basis of Applicant's Ownership

The breeder of this soybean variety, Norman R. Bradner, is an employee of Kingroup Inc., the holding company of King Grain Inc.